

U.S. Fish and Wildlife Service

Birds of

Salt Plains National Wildlife Refuge

Welcome to Birding at Salt Plains NWR

Salt Plains National Wildlife Refuge was established in 1930 for a breeding ground, feeding area and stopover for migratory birds. The refuge is designated as an Important Bird Area, a site on the Western Hemisphere Shorebird Reserve Network, and critical habitat for endangered Whooping Cranes. Since 1930, 315 species of birds have been observed on the 32,197 acre refuge.

About 11,200 acres of the refuge are salt flats. These salt flats are a major nesting site for the Interior Least Tern, Snowy Plover, and American Avocet. Hundreds of thousands shorebirds, wading birds and water birds use the salt flats during spring, summer and fall as a crucial migratory and wintering stopover.

How to use your checklist

Symbols used in this list are defined as follows:

Occurrence

Sp—Spring-period of spring migration (depending on species) from mid-February to early June

S—Summer-June to August

F—Fall-period of fall migration (depending on species) from mid-July to November

W—Winter-December to February

Abundance

A—Abundant: a common and numerous species

C—Common: certain to be seen in suitable habitat

U—Uncommon: present,

but not certain to be seen

O-Occasional: seen only a few times during

R—Rare: seen at intervals of 2 to 5 years X-Accidental: has been seen only once or twice

Nests on the refuge

Exotic or introduced species

Italicized bird names indicate threatened or endangered species.



Common Name	Sp	S	F	W	_
Swans, Geese, Ducks	•				
Black-bellied Whistling-Duck	U	U			
Greater White-fronted Goose			\mathbf{C}	U	
Snow Goose	U		\mathbf{C}	\mathbf{C}	
Ross's Goose	R		R	\mathbf{R}	
Cackling Goose	U		U	U	
*Canada Goose	A	U	A	A	
Trumpeter Swan			R	0	
Tundra Swan	R		R	0	
*Wood Duck	С	C	C		
*Gadwall	A		A		
*American Wigeon	A	O	Α	C	
American Black Duck	R	\mathbf{R}	R	R	
*Mallard	A	U	A	A	
*Blue-winged Teal	A	O		U	
Cinnamon Teal	R	\mathbf{R}	R	R	
*Northern Shoveler	A		A		
*Northern Pintail	A	O	A		
Green-winged Teal	A	\mathbf{R}			
Canvasback	U		U	0	
Redhead	A	\mathbf{R}	U	0	
Ring-necked Duck	С		U	0	
Greater Scaup	R			R	
Greater Scaup Lesser Scaup Long-tailed Duck	С	\mathbf{R}	U	0	
Long-tailed Duck			R	R	
Bufflehead	С		C	0	
Common Goldeneye	U		U	C	
*Hooded Merganser	U	U	U	U	
Common Merganser	С		C	A	
Red-breasted Merganser	R		R	R	
Ruddy Duck	\mathbf{C}	\mathbf{R}	\mathbf{C}	0	
Grouse, Turkeys, and Old World	Qua	il			
* ^ Ring-necked Pheasant		C	C	C	
*Wild Turkey	С	U	С	C	
New World Quail					
*Northern Bobwhite	С	C	С	C	
Loons	_		_	_	
Common Loon	R		R	R	
Grebes	-	_			
*Pied-billed Grebe	C	O	C		
Horned Grebe	R	_	R	R	
*Eared Grebe	U	R	_	_	
Western Grebe	R		R	R	
Pelicans					
American White Pelican	A	U	Α		
Brown Pelican	X	X	X	X	
Cormorants	ъ	D			
Neotropic Cormorant	R			0	
*Double-crested Cormorant	С	U	С	0	
Herons, Bitterns and Allies	тт	0	тт	D	
American Bittern	U		U	R	
*Least Bittern	O			С	
*Great Blue Heron	C		C	C	
*Great Egret					
*Snowy Egret *Little Blue Heron	C	C	C		
*Tricolored Heron	R	R	U		
micolorea meron	п	n			

*Cattle Egret

Common Name	Sp	S	F	W
*Green Heron	С	U		
*Black-crowned Night-Hero	n U	U	U	
*Yellow-crowned Night-Hero	0nO	0	0	
Ibises and Spoonbills		_	-	
	37	37	37	**
White Ibis		X	X	X
*Glossy Ibis	0	O		
*White-faced Ibis	С	\mathbf{C}	0	
			0	
White-faced Ibis x Glossy Ibi	is U	O		
New World Vultures				
Black Vulture	X	X	X	X
*Turkey Vulture	C			
	\mathbf{C}	C		
Hawks, Kites, and Eagles				
Osprey	0		0	
*Mississippi Kite	Č	\mathbf{C}	Č	
Mississippi Kite	Č	C	ä	α
*Bald Eagle			С	C
Northern Harrier	\mathbf{C}		C	C
Sharp-shinned Hawk	U		U	U
bnarp-simmed flawk		0		
*Cooper's Hawk	U			U
*Red-shouldered Hawk	\mathbf{C}	R	C	C
Broad-winged Hawk	\mathbf{R}		R	
*C		тт		
*Swainson's Hawk	C	U		~.
*Red-tailed Hawk	\mathbf{C}	U	С	C
Ferruginous Hawk	R		R	R
Danah lamas d Harris				U
Rough-legged Hawk	0		0	
Golden Eagle	O		0	0
Caracaras and Falcons				
*American Kestrel	α	\circ		\mathbf{C}
	C	O	C	
Merlin	\mathbf{R}		R	R
Peregrine Falcon	\mathbf{R}	R	R	R
Prairie Falcon	0	-•	0	0
	U		U	U
Rails, Gallinules, and Coots				
*Black Rail	${ m R}$	\mathbf{R}	\mathbf{R}	
*King Rail	\mathbf{R}	R	R	
*Virginia Rail	Õ		Õ	0
vii giilla Itali				O
Sora	Ü		Ü	~
*American Coot	С	U	\mathbb{C}	C
Cranes				
Sandhill Crane	A		Α	C
Whooping Crane	$\hat{0}$		Ü	O
	U		U	
Plovers				
Black-bellied Plover	U		U	
American Golden-Plover	U		U	
*Snowy Plover_	Ă	A	Ă	
Cominglimeted Pleases	Ü	Л	Ü	
Semipalmated Plover				
Piping Plover	0		0	
*Killdeer	Α	C	C	O
Mountain Plover	X	X	X	\mathbf{X}
Stilts and Avocets				
	0	тт		
*Black-necked Stilt	Ó	Ų		
*American Avocet	Α	A	Α	
Sandpipers, Phalaropes, and All	ies			
Spotted Sandpiper	С	\mathbf{C}	С	
		U	_	
Solitary Sandpiper	0		0	
Greater Yellowlegs	\mathbf{C}	C	\mathbb{C}	U
Willet	C		C	
		0		D
Lesser Yellowlegs	С	0	С	R
Upland Sandpiper	U	U	U	
Whimbrel	\mathbf{R}			
Long-billed Curlew	0		0	
	J		9	

Common Name Hudsonian Godwit	Sp U	S	F	W	Common Name Kingfishers	Sp	S	F	W	Common Name Sp S Thrushes	F	W
Marbled Godwit	O		R		*Belted Kingfisher	\mathbf{C}	\mathbf{C}	С	С	*Eastern Bluebird C U		
Ruddy Turnstone Red Knot	О		O R		Woodpeckers*Red-headed Woodpecker	С	C	C	U	Mountain Bluebird Townsend's Solitaire		R R
Rea Knot Sanderling	0		0		*Red-bellied Woodpecker	C	\mathbf{C}		\mathbf{C}	Townsend's Solitaire Swainson's Thrush C		11
Semipalmated Sandpiper		\mathbf{C}	A		Yellow-bellied Sapsucker	\mathbf{R}		R	R	Hermit Thrush R		R
Western Sandpiper	A				*Downy Woodpecker	С	C		C	Wood Thrush X X Gray-cheeked Thrush X X	X	X
Least Sandpiper White-rumped Sandpiper	A C	U	A		*Hairy Woodpecker *Northern Flicker		U U					C
Baird's Sandpiper		U	U		Pileated Woodpecker		\mathbf{C}			Veery X X		
Pectoral Sandpiper		Ū	U		Tyrant Flycatchers					Mockingbirds and Thrashers	~	
Dunlin	0			O	Olive-sided Flycatcher	0		R		*Gray Catbird C C*Northern Mockingbird U U		0
Stilt Sandpiper Buff-breasted Sandpiper	$\frac{\mathrm{C}}{\mathrm{R}}$		C		Eastern Wood-Pewee Yellow-bellied Flycatcher		$\mathbf{U}_{\mathbf{Y}}$		X	Sage Thrasher X X		
Short-billed Dowitcher		0	0		Alder Flycatcher				X	*Brown Thrasher U U		
Long-billed Dowitcher	$\tilde{\mathrm{C}}$		С		Willow Flycatcher	R		R		Starlings		
Wilson's Snipe	U		U	O	Least Flycatcher	U		0			С	C
American Woodcock	R		R	R	*Eastern Phoebe	U R	U	U		PipitsAmerican Pipit 0	\cap	R
Wilson's Phalarope Red-necked Phalarope	$\frac{\mathrm{C}}{\mathrm{R}}$		C R		Say's Phoebe *Great Crested Flycatcher		\mathbf{C}	C		American ripitSprague's Pipit R		R
Red Phalarope	10		R		*Western Kingbird	C	\tilde{C}			Waxwings		
Gulls, Terns, and Skimmers					*Eastern Kingbird	\mathbf{C}	\mathbf{C}	С			U	U
*Least Tern	С		U		*Scissor-tailed Flycatcher	С	A	U		Wood-warblersGolden-winged Warbler X X	\mathbf{v}	v
Caspian Tern Black Tern	R C		R		Shrikes*Loggerhead Shrike	C	U	C	С	Golden-winged warbier X XTennessee Warbier U	Λ	Λ
Common Tern	C	U	0		Northern Shrike	C	U		R		U	
Forster's Tern	U	0			Vireos						U	
California Gull	v	R	v	v	White-eyed Vireo		U			Northern Parula U U		
Thayer's Gull Lesser Black-backed Gull	Λ	X	R	X	*Bell's Vireo		$\mathbf{U}_{\mathbf{v}}$		X	*Yellow Warbler C U Magnolia Warbler R	U	
Laughing Gull		X	X	\mathbf{X}	Yellow-throated Vireo Blue-headed Vireo	A R	Λ	R	Λ		С	С
Franklin's Gull		U		O	*Warbling Vireo	C	С			Black-throated Green Warbler	R	
Bonaparte's Gull	0	C	0	O	*Red-eyed Vireo	U	U	U		Yellow-throated Warbler R		
Ring-billed Gull Herring Gull	C U	С	C U	A U	Crows and Jays	С	С		\mathbf{C}	Blackpoll Warbler R Black-and-white Warbler U R	\cap	
Glaucous Gull	$^{\rm R}$			$\stackrel{\circ}{\mathrm{R}}$	*Blue Jay *American Crow	C	\mathbf{C}	C	\mathbf{C}		R	
Sabine's Gull			0		Fish Crow		X	X	$\ddot{\mathbf{X}}$	*Prothonotary Warbler U U		
Skuas and Jaegers	v	\mathbf{v}	v	v	Larks					Ovenbird R		
Pomarine Jaeger Long-tailed Jaeger	X	$X \\ X$	X	X	*Horned Lark	С	U	C	С	Northern Waterthrush R *Louisiana Waterthrush R R		
Pigeons and Doves					SwallowsPurple Martin	0	O	0		Mourning Warbler R		
^Rock Pigeon	$\stackrel{ ext{C}}{\sim}$			$\stackrel{\mathbf{C}}{\sim}$	*Tree Swallow	$\tilde{\mathbf{C}}$		Ŭ		*Common Yellowthroat C C	С	
^ Eurasian Collared-Dove	e C O			C	*N. Rough-winged Swallow		C				R	
*Mourning Dove		C			*Bank Swallow *Cliff Swallow	C C	$^{\rm C}$			Yellow-breasted Chat U U		
Cuckoos, Roadrunners, and Allie		Ŭ			*Barn Swallow		\mathbf{C}			TanagersSummer Tanager R	R	
*Yellow-billed Cuckoo	C				Chickadees and Titmice	11				Scarlet Tanager R	10	
Black-billed Cuckoo *Greater Roadrunner		R O		O	*Carolina Chickadee	C	\mathbf{C}		\mathbf{C}	Towhees, Sparrows, and Allies		-
Barn Owls	U	U	U	U	*Tufted Titmouse	С	С	C	С		С	C
*Barn Owl	O	0	0	O	Nuthatches Red-breasted Nuthatch	R		R	R	Cassin's Sparrow R American Tree Sparrow A		A
Typical Owls					White-breasted Nuthatch				U		С	11
*Eastern Screech-Owl *Great Horned Owl	C	C		$^{\rm C}$	Creepers						0	
Snowy Owl	R			R	Brown Creeper	U		U	U			С
Burrowing Owl		R	R		Wrens *Carolina Wren	С	С	C	U		$_{\rm C}^{\rm C}$	
*Barred Owl		U			*Bewick's Wren		R			Lark Sparrow C C Lark Bunting R		R
Long-eared Owl	R R			R O	*House Wren	\mathbf{C}	Ü	С		Savannah Sparrow U	U	O
Short-eared Owl Goatsuckers	п		п	U	Winter Wren	0			O	*Grasshopper Sparrow C U	С	
*Common Nighthawk	\mathbf{C}	С	С		Sedge Wren	R U		R	О	Henslow Sparrow R Le Conte's Sparrow R		O
*Chuck-will's-widow	Č				Marsh Wren Kinglets	U		U	U	Ee Conte's Sparrow RFox Sparrow O		O
Swifts	~	C	_		Golden-crowned Kinglet	0			U	Song Sparrow C		C
*Chimney Swift Hummingbirds	С	С	U		Ruby-crowned Kinglet	U		U	0			0
Ruby-throated Hummingbir	d O	0	0		*Rlug gray Chateatahor	C	A					O
	-				*Blue-gray Gnatcatcher	U	A					A

Common Name	Sp	S	F	w
White-crowned Sparrow	C		Ċ	
Dark-eyed Junco	Ā		Ā	Ā
Lapland Longspur				R
Smith's Longspur			R	R
Chestnut-collared Longspur	\mathbf{R}		R	R
Thick-Billed Longspur	\mathbf{R}		\mathbf{R}	R
Snow Bunting	\mathbf{X}	X	X	X
Cardinals, Grosbeaks, and Bunti	ngs			
*Northern Cardinal	\mathbf{C}	C	C	C
Rose-breasted Grosbeak	\mathbf{R}			
Black-headed Grosbeak	\mathbf{R}			
*Blue Grosbeak	O	U	0	
Lazuli Bunting	\mathbf{R}			
*Indigo Bunting	\mathbf{C}	\mathbf{C}	C	
*Painted Bunting	U		0	
*Dickcissel	\mathbf{C}	\mathbf{C}	\mathbf{C}	
Blackbirds				
Bobolink	\mathbf{R}			
*Red-winged Blackbird	A	\mathbf{C}	A	A
*Eastern Meadowlark	\mathbf{C}	C	C	C
*Western Meadowlark	U	U	C	C
Yellow-headed Blackbird	\mathbf{C}	R	U	R
Rusty Blackbird	\mathbf{R}			R
Brewer's Blackbird	O		0	0
*Common Grackle	\mathbf{C}	\mathbf{C}	\mathbf{C}	0
Great-tailed Grackle	U	U	U	0
*Brown-headed Cowbird	\mathbf{C}	C	C	C
*Orchard Oriole	С	U	\mathbf{R}	
Bullock's (+hybrids)	\mathbf{R}	R	R	
Baltimore (mostly pure)	\mathbf{C}	\mathbf{C}	U	
Finches				
Purple Finch	\mathbf{R}		\mathbf{R}	R
House Finch	U	U	U	U
Red Crossbill			\mathbf{R}	
Pine Siskin	O		0	0
*American Goldfinch	\mathbf{C}	U		C
Evening Grosbeak	X	X	X	X
Old World Sparrows				
* ^ House Sparrow	\mathbf{C}	С	С	C

If you should find an unlisted or rare species during your visit, please contact the Refuge staff and provide a description. We welcome visitor wildlife reports to help augment our records.

For Additional Information


Salt Plains National Wildlife Refuge 71189 Harper Rd. Jet, OK 73749

580/626-4794 Office https://www.fws.gov/refuge/salt_plains/ May 2022

 $Bird\ Illustrations\ by\ Robert\ J.\ Savannah$



 $Canada\ Geese$



Whooping Crane